

Dundee CHP

CHD Reporting

INPS

Table of Editions and Contents

Date	Version	Contents	Output
21/08/06 22/08/06	1, 17/08/06	Scottish Audits, Dundee CHP, CHD Reporting	.doc .pdf
08/02/07 28/02/07	2, 16/11/06 2, 28/02/07	new search lines last smoking record for never smoked or ex-smoker	
11/04/07	2, 28/02/07	Help file to website	pdf
03.07.07	4, 03/07/07	813Y in exceptions; moderate exercise replaced by exercise taken; pts given exercise advice with 138; new searches for dietary status; exclusion codes not now separated out. Corresponds to spreadsheet supplied by Gillian Paul with numbered audits.	pdf
08.01.08	v5, 18/12/2007	Alcohol recorded limits now searches all codes in 136% except 1361 1362 136M. Dietary status includes 13A%, 13B% 161%	pdf

Copyright © In Practice Systems Ltd 2006

Contents

DUNDEE CHP - CHD REPORTING	1
Getting Started	1
What's New	1
v5, 18.12.2007	1
Criteria for the Dundee CHP - CHD Reporting Audit	2
Total Practice Population	2
CHD patients	2
1. Patients with a record of CHD ever (QOF codes)	2
2. Patients with a record of CHD ever (QOF codes) and no exception code (9h0, 8I3Y) in the 15 months before next 31/03	2
3. Patients with CHD and high level exclusion (9h0, 8I3Y) in the 15 months before next 31/03	3
BP record	3
4. Patients with CHD and high level exclusion and BP recorded in the 15m before next 31/03	3
5. CHD patients with BP recorded in the 15 months before next 31st March	4
6. CHD patients whose last BP < 140/85 in the 15 months before next 31st March	4
Maximal hypertensive therapy	4
7. CHD patients on maximal hypertensive therapy recorded using QOF code 8BL0 in the 15 months before next 31st March	4
8. CHD patients with a recorded 8BL. (patient on maximum tolerated dose) in the last 15 months before next 31st March	4
Alcohol	4
9. CHD patients and high level exclusion with alcohol consumption recorded in the 15 months before next 31st March	4
10. Patients with CHD and alcohol consumption recorded in the 15m before next 31/03	5
11. Patients with CHD with alcohol drinker record in the 15m before next 31/03	6
12. Patients with CHD and alcohol advice recorded in the 15m before next 31/03	6
Exercise	7
13. CHD patients with high level exclusion with exercise status recorded in the 15 months before next 31st March	7
14. CHD patients with exercise status recorded in the 15 months before next 31st March	8
15. CHD patients with exercise taken recorded in the 15m before next 31st March	8
16. CHD patients with exercise status recorded and exercise advice recorded in the 15m before next 31st March	9
BMI	9
17. Patients with CHD and high level exclusion and BMI record in the 15 m before next 31/03	9

18. Patients with CHD and BMI record in the 15 m before next 31/03	10
19. CHD patients with BMI <25 recorded in the 15m before next 31st March	10
20. CHD patients with BMI <30 recorded in the 15m before next 31st March	10
Waist circumference	11
21. CHD patients with high level exclusion with waist circumference recorded in the 15m before next 31st March	11
22. CHD patients with waist circumference recorded in the 15m before next 31st March	11
Dietary advice	11
23. CHD patients with high level exclusion with dietary status recorded in the 15m before next 31st March	11
24 CHD patients with dietary status recorded in the 15m before next 31st March	12
25. Patients with CHD and high level exclusion, diet status recorded and dietary advice given in the 15m before next 31/03	13
26. CHD patients, diet status recorded and dietary advice given in the 15m before next 31st March	13
Symptom Assessment	14
27. Patients with CHD and high level exclusion and symptoms assessment recorded in the 15m before next 31/03	14
28. Patients with CHD and symptoms assessment recorded in the 15m before next 31/03	15
Cholesterol	15
29. CHD patients with high level exclusion with cholesterol measured in the 15m before next 31/03	15
30. CHD patients with cholesterol measured in the 15m before next 31/03	16
31. CHD patients whose last cholesterol <5 measured in the 15m before next 31st March	16
32. Patients excepted from QOF serum cholesterol targets and cholesterol checked in the 15m before next 31/03	16
Smoking	18
33. CHD patients with high level exclusion with smoking status recorded in the 15m before next 31/03 or last smoking record shows never smoked or ex-smoker	18
34. CHD patients with smoking status recorded in the 15m before next 31/03 or last smoking record shows never smoked or ex-smoker	20
35. CHD patients whose smoking status is never smoked or ex-smoker	20

Dundee CHP - CHD Reporting

Getting Started

You can download the Dundee CHP - CHD Reporting audit from the INPS website - Client Zone - Downloads - Scotland - Dundee CHP. Import it into Vision Clinical Audit, where it is grouped under Scottish Audits. Then generate the statistics.

There is an accompanying spreadsheet with these audits - chd report vision(1)may2007).xls. The numbered lines on the audit correspond to those on the spreadsheet.

What's New

v5, 18.12.2007

- Alcohol recorded limits now searches all codes in 136% except 1361 1362 136M.
- Dietary status includes 13A%, 13B% 161% as well as 1F%

Criteria for the Dundee CHP - CHD Reporting Audit

Version 4, 03/07/2007

Total Practice Population

All active, registered patients.

CHD patients

1. Patients with a record of CHD ever (QOF codes)

Patients who have CHD recorded ever with one of the following Read codes (as for QOF):

G3-G330z Ischaemic heart disease etc excluding: G331. Prinzmetal's angina, G331.11 Variant angina pectoris, G332 Coronary artery spasm;

G33z.-G3401 Angina pectoris etc; G342.-G366. Atherosclerotic cardiovascular disease etc; G38.-G3z.. Postoperative myocardial infarction etc;

Gyu3.% [X] Ischaemic heart diseases (v7)

Excluding those patients whose LAST CHD Register entry shows "Removed From Register" before the end of last month and since the latest diagnosis code

Excluding patients with CHD exceptions:

9h0% Patient excepted from CHD quality indicator

9h02. Excepted from CHD quality indicators: Informed dissent

9h01. Excepted from CHD quality indicators: Patient unsuitable

2. Patients with a record of CHD ever (QOF codes) and no exception code (9h0, 8I3Y) in the 15 months before next 31/03

Patients with CHD (as above) recorded ever and no exception codes in the 15 months before next 31st March:

9h0% Patient excepted from CHD quality indicator

9h02. Excepted from CHD quality indicators: Informed dissent

9h01. Excepted from CHD quality indicators: Patient unsuitable

8I3Y Blood pressure procedure refused

3. Patients with CHD and high level exclusion (9h0, 8I3Y) in the 15 months before next 31/03

Patients with CHD (as above) and exception codes recorded in the 15 months before next 31st March:

9h0% Patient excepted from CHD quality indicator

9h02. Excepted from CHD quality indicators: Informed dissent

9h01. Excepted from CHD quality indicators: Patient unsuitable

8I3Y Blood pressure procedure refused

BP record

4. Patients with CHD and high level exclusion and BP recorded in the 15m before next 31/03

Patients with CHD (as above) and exception codes recorded in the 15 months before next 31st March:

9h0% Patient excepted from CHD quality indicator

9h02. Excepted from CHD quality indicators: Informed dissent

9h01. Excepted from CHD quality indicators: Patient unsuitable

8I3Y Blood pressure procedure refused

With BP recorded in the 15 months before next 31st March:

246% O/E - blood pressure reading,

Excluding the following codes:

246O O/E - BP unrecordable (v7)

246H. O/E - Arterial pressure index normal

246I. O/E - Arterial pressure index abnormal

246K. Target systolic blood pressure

246L. Target diastolic blood pressure

246M. White coat hypertension

Patients with CHD and high level exclusion and BP NOT recorded in the 15m before next 31/03

CHD patients with exception codes (as above)

Who have NO record of blood pressure in the 15 months before next 31st March

CHD patients with BP NOT recorded in the 15m before next 31/03

CHD patients

Who have NO record of blood pressure in the 15 months before next 31st March

5. CHD patients with BP recorded in the 15 months before next 31st March

CHD patients who have a record of blood pressure (as above) in the 15 months before next 31st March

CHD patients whose last BP \geq 140/85 in the 15 months before next 31st March

CHD patients who have a record of blood pressure in the 15 months before next 31st March with a reading of greater than or equal to 140/85

6. CHD patients whose last BP $<$ 140/85 in the 15 months before next 31st March

CHD patients who have a record of blood pressure in the 15 months before next 31st March with a reading of less than 140/85

Maximal hypertensive therapy

7. CHD patients on maximal hypertensive therapy recorded using QOF code 8BLO in the 15 months before next 31st March

CHD patients who have a record of being on maximal hypertensive therapy in the 15 months before next 31st March:

8BLO Patient on maximal tolerated antihypertensive therapy

8. CHD patients with a recorded 8BL. (patient on maximum tolerated dose) in the last 15 months before next 31st March

CHD patients who have a record of being on maximum tolerated dose of hypertensive therapy in the 15 months before next 31st March:

8BL. Patient on maximum tolerated dose (NB - does not include hierarchical codes)

Alcohol

9. CHD patients and high level exclusion with alcohol consumption recorded in the 15 months before next 31st March

CHD patients with exception codes:

9h0% Patient excepted from CHD quality indicator

9h02. Excepted from CHD quality indicators: Informed dissent

9h01. Excepted from CHD quality indicators: Patient unsuitable

8I3Y Blood pressure procedure refused

Who have a record of alcohol consumption in the 15 months before next 31st March with one of the following:

136% Alcohol consumption

except 1361 1362 136M.

CHD patients and high level exclusion with alcohol consumption NOT recorded in the 15 months before next 31st March

CHD patients with exception codes (as above)

Who have NO record of alcohol consumption in the 15 months before next 31st March

CHD patients with high level exclusion with alcohol advice recorded in the 15 months before next 31st March

CHD patients with exception codes (as above)

Who have a record of alcohol advice in the 15 months before next 31st March with one of the following:

6792 Health ed. - alcohol

Or a record in the Health Promotion SDA for alcohol

Or a record in the Advice SDA for alcohol

CHD patients with alcohol advice NOT recorded in the 15 months before next 31st March

CHD patients who have NO record of alcohol advice in the 15 months before next 31st March

10. Patients with CHD and alcohol consumption recorded in the 15m before next 31/03

CHD patients

Who have a record of alcohol consumption in the 15 months before next 31st March with one of the following:

136% Alcohol consumption

except 1361 1362 136M.

Patients with CHD and alcohol consumption NOT recorded in the 15m before next 31/03

CHD patients

Who have NO record of alcohol consumption in the 15 months before next 31st March with one of the following:

136% Alcohol consumption

except 1361 1362 136M.

11. Patients with CHD with alcohol drinker record in the 15m before next 31/03

CHD patients

With an alcohol drinker record in the 15 months before next 31st March
(codes as above)

1363 Light drinker - 102u/day

1364 Moderate drinker -3-6u/day

1365 Heavy drinker -7-9u/day

1366 Very heavy drinker->9u/day

OR

1369 Suspect alcohol abuse-denied

OR

136F Spirit drinkers

136G Beer drinker

136H Drinks beer and spirits

136I Drinks wine

136J Social drinker

136K Alcohol intake above recommended sensible limits

136L Alcohol intake within recommended sensible limits

OR

136N Light drinker

136O Moderate drinker

136P Heavy drinker

136Q Very heavy drinker

136R Binge drinker

136S Hazardous alcohol use

136T Harmful alcohol use

12. Patients with CHD and alcohol advice recorded in the 15m before next 31/03

CHD patients

Who have a record of alcohol advice in the 15 months before next 31st March
with one of the following:

6792 Health ed. - alcohol

Or a record in the Health Promotion SDA for alcohol

Or a record in the Advice SDA for alcohol

Patients with CHD and alcohol advice NOT recorded in the 15m before next 31/03

CHD patients

Who have NO record of alcohol advice in the 15 months before next 31st March with one of the following:

6792 Health ed. - alcohol

Or a record in the Health Promotion SDA for alcohol

Or a record in the Advice SDA for alcohol

Exercise

13. CHD patients with high level exclusion with exercise status recorded in the 15 months before next 31st March

CHD patients with exclusion codes:

9h0% Patient excepted from CHD quality indicator

9h02. Excepted from CHD quality indicators: Informed dissent

9h01. Excepted from CHD quality indicators: Patient unsuitable

8I3Y Blood pressure procedure refused

With a record of exercise status recorded in the 15 months before next 31st March:

138% Exercise grading

CHD patients with high level exclusion with exercise status NOT recorded in the 15 months before next 31st March

CHD patients with high level exclusion codes (as above)

With NO record of exercise status recorded in the 15 months before next 31st March.

CHD patients with high level exclusion with exercise advice recorded in the 15m before next 31st March

CHD patients with high level exclusion codes (as above)

With a record of exercise status recorded (138)

With a record of exercise advice recorded in the 15 months before next 31st March with one of the following:

6798 Health ed. - exercise

8CA5 Patient advised re exercise

67H2 Lifestyle advice regarding exercise

CHD patients with high level exclusion with exercise advice NOT recorded in the 15m before next 31st March

CHD patients with high level exclusion codes (as above)

With a record of exercise advice NOT recorded in the 15 months before next 31st March

14. CHD patients with exercise status recorded in the 15 months before next 31st March

CHD patients with a record of exercise status recorded in the 15 months before next 31st March:

138% Exercise grading

CHD patients with exercise status NOT recorded in the 15 months before next 31st March

CHD patients with NO record of exercise status recorded in the 15 months before next 31st March.

15. CHD patients with exercise taken recorded in the 15m before next 31st March

CHD patients with high level exclusion codes (as above)

With a record of exercise taken recorded in the 15 months before next 31st March with one of the following in any clinical area:

1383 Enjoys light exercise

1384 Enjoys moderate exercise

1385 Enjoys heavy exercise

1386 Competitive athlete

1389 Aerobic exercise 1 time/week

138A Aerobic exercise 2 times/week

138B Aerobic exercise 3+ times/week

138D Anaerobic exercise 1 time/week

138E Anaerobic exercise 2 times/wk

138F Anaerobic exercise 3+ times/wk

138G Attends exercise classes

138H Enjoys intermediate exercise

138J FITT activity level 1; 1-4 occas of mod/vig activit in 4 wks

138K FITT activity level 2: 5-11 occas of mod/vig activit in 4 wks

138L FITT activity level 3; 12+ occas of mod activity in 4 weeks

138M FITT activity level 4; 12+ occas of mod/vig activit in 4 wks

138N FITT activity level 5; 12+ occas of vig activity in 4 weeks

138P Aerobic exercise three times a week

138Q Aerobic exercise four times a week

138R Aerobic exercise five times a week

Or a record in the Exercise SDA, 138 Exercise grading, with Type of Exercise of Moderate or Vigorous or Gentle

CHD patients with exercise taken NOT recorded in the 15m before next 31st March

CHD patients with a record of exercise taken NOT recorded in the 15 months before next 31st March

16. CHD patients with exercise status recorded and exercise advice recorded in the 15m before next 31st March

CHD patients with a record of exercise status recorded (138)

And with a record of exercise advice recorded in the 15 months before next 31st March with one of the following:

6798 Health ed. - exercise

8CA5 Patient advised re exercise

67H2 Lifestyle advice regarding exercise

CHD patients with exercise status recorded and exercise advice NOT recorded in the 15m before next 31st March

CHD patients with a record of exercise status recorded (138)

And with NO record of exercise advice recorded in the 15 months before next 31st March with one of the following:

6798 Health ed. - exercise

8CA5 Patient advised re exercise

67H2 Lifestyle advice regarding exercise

BMI

17. Patients with CHD and high level exclusion and BMI record in the 15 m before next 31/03

CHD patients with high level exclusion codes:

9h0% Patient excepted from CHD quality indicator

9h02. Excepted from CHD quality indicators: Informed dissent

9h01. Excepted from CHD quality indicators: Patient unsuitable

8I3Y Blood pressure procedure refused

With a record of BMI in the 15 months before next 31st March with one of the following:

22K% Body Mass Index

CHD patients with high level exclusion and NO BMI recorded in the 15m before next 31st March

CHD patients with high level exclusion codes:

With NO record of BMI in the 15 months before next 31st March with one of the following:

22K% Body Mass Index

18. Patients with CHD and BMI record in the 15 m before next 31/03

CHD patients

With a record of BMI in the 15 months before next 31st March with one of the following:

22K% Body Mass Index

19. CHD patients with BMI <25 recorded in the 15m before next 31st March

CHD patients with a record of BMI in the 15 months before next 31st March with one of the following in any clinical area:

22K6 Body mass index less than 20

22K8 Body mass index 20-24 - normal

Or a record in the Weight SDA with a BMI of less than 25.

20. CHD patients with BMI <30 recorded in the 15m before next 31st March

CHD patients with a record of BMI in the 15 months before next 31st March with one of the following in any clinical area:

22K6 Body mass index less than 20

22K8 Body mass index 20-24 - normal

22K4 Body mass index 25-29 - overweight

Or a record in the Weight SDA with a BMI of less than 30.

CHD patients with BMI \geq 30 recorded in the 15m before next 31st March

CHD patients with a record of BMI in the 15 months before next 31st March with one of the following in any clinical area:

22K5 Body mass index 30+ - obesity

22K7 Body mass index 40+ = severely obese

Or a record in the Weight SDA with a BMI of greater than or equal to 30.

Waist circumference

21. CHD patients with high level exclusion with waist circumference recorded in the 15m before next 31st March

CHD patients with high level exclusion codes:

9h0% Patient excepted from CHD quality indicator

9h02. Excepted from CHD quality indicators: Informed dissent

9h01. Excepted from CHD quality indicators: Patient unsuitable

8I3Y Blood pressure procedure refused

With a record of waist circumference in the 15 months before next 31st March with the following:

22NO Waist circumference

CHD patients with high level exclusion with waist circumference NOT recorded in the 15m before next 31st March

CHD patients with high level exclusion codes:

With NO record of waist circumference in the 15 months before next 31st March with the following:

22NO Waist circumference

22. CHD patients with waist circumference recorded in the 15m before next 31st March

CHD patients

With a record of waist circumference in the 15 months before next 31st March with the following:

22NO Waist circumference

CHD patients with waist circumference NOT recorded in the 15m before next 31st March

CHD patients with NO record of waist circumference in the 15 months before next 31st March

Dietary advice

23. CHD patients with high level exclusion with dietary status recorded in the 15m before next 31st March

CHD patients with high level exclusion codes:

9h0% Patient excepted from CHD quality indicator

9h02. Excepted from CHD quality indicators: Informed dissent

9h01. Excepted from CHD quality indicators: Patient unsuitable

813Y Blood pressure procedure refused

With a record of dietary status recorded in the 15 months before next 31st March with one of the following (in any clinical area):

1F% Dietary history

13A% Diet - patient initiated

13B% Diet- medical

161% Appetite symptom

CHD patients with high level exclusion with dietary status NOT recorded in the 15m before next 31st March

CHD patients with high level exclusion codes:

With NO record of dietary status recorded in the 15 months before next 31st March with one of the following (in any clinical area):

1F% Dietary history

13A% Diet - patient initiated

13B% Diet- medical

161% Appetite symptom

24 CHD patients with dietary status recorded in the 15m before next 31st March

CHD patients

With a record of dietary status recorded in the 15 months before next 31st March with one of the following (in any clinical area):

1F% Dietary history

13A% Diet - patient initiated

13B% Diet- medical

161% Appetite symptom

CHD patients with dietary status NOT recorded in the 15m before next 31st March

CHD patients

With NO record of dietary status recorded in the 15 months before next 31st March with one of the following (in any clinical area):

1F% Dietary history

13A% Diet - patient initiated

13B% Diet- medical

161% Appetite symptom

25. Patients with CHD and high level exclusion, diet status recorded and dietary advice given in the 15m before next 31/03

CHD patients with high level exclusion codes:

9h0% Patient excepted from CHD quality indicator

9h02. Excepted from CHD quality indicators: Informed dissent

9h01. Excepted from CHD quality indicators: Patient unsuitable

8l3Y Blood pressure procedure refused

With a record of dietary status recorded in the 15 months before next 31st March with one of the following (in any clinical area):

1F% Dietary history

13A% Diet - patient initiated

13B% Diet- medical

161% Appetite symptom

With a record of dietary advice recorded in the 15 months before next 31st March with one of the following (in any clinical area):

6799 Health ed. - diet

Or a record in the Advice Given SDA with Advice of Diet.

Patients with CHD and high level exclusion, diet status recorded and dietary advice NOT given in the 15m before next 31/03

CHD patients with high level exclusion codes:

With a record of dietary status recorded in the 15 months before next 31st March with one of the following (in any clinical area):

1F% Dietary history

13A% Diet - patient initiated

13B% Diet- medical

161% Appetite symptom

With NO record of dietary advice recorded in the 15 months before next 31st March with one of the following (in any clinical area):

6799 Health ed. - diet

Or a record in the Advice Given SDA with Advice of Diet.

26. CHD patients, diet status recorded and dietary advice given in the 15m before next 31st March

CHD patients with a record of dietary advice recorded in the 15 months before next 31st March with one of the following (in any clinical area):

6799 Health ed. - diet

Or a record in the Advice Given SDA with Advice of Diet.

CHD patients, diet status recorded and dietary advice NOT given in the 15m before next 31st March

CHD patients with NO record of dietary advice recorded in the 15 months before next 31st March with one of the following (in any clinical area):

6799 Health ed. - diet

Or a record in the Advice Given SDA with Advice of Diet.

Symptom Assessment

27. Patients with CHD and high level exclusion and symptoms assessment recorded in the 15m before next 31/03

CHD patients with high level exclusion codes:

9h0% Patient excepted from CHD quality indicator

9h02. Excepted from CHD quality indicators: Informed dissent

9h01. Excepted from CHD quality indicators: Patient unsuitable

8I3Y Blood pressure procedure refused

With a record of symptoms assessment in the 15 months before next 31st March with one of the following:

In either a Test SDA or any clinical area:

388F Cardiovascular Limitations and Symptoms Profile angina score

388G Cardiovascular Limits and Symptoms Profile ankle swelling score

388H CLASP shortness of breath score

Or in any clinical area:

1D711 Free of symptoms

Patients with CHD and high level exclusion and symptoms assessment NOT recorded in the 15m before next 31/03

CHD patients with high level exclusion codes

With NO record of symptoms assessment in the 15 months before next 31st March with one of the following:

In either a Test SDA or any clinical area:

388F Cardiovascular Limitations and Symptoms Profile angina score

388G Cardiovascular Limits and Symptoms Profile ankle swelling score

388H CLASP shortness of breath score

Or in any clinical area:

1D711 Free of symptoms

28. Patients with CHD and symptoms assessment recorded in the 15m before next 31/03

CHD patients

With a record of symptoms assessment in the 15 months before next 31st March (as above)

Patients with CHD and symptoms assessment recorded in the 15m before next 31/03

CHD patients

With a record of symptoms assessment in the 15 months before next 31st March

Cholesterol

29. CHD patients with high level exclusion with cholesterol measured in the 15m before next 31/03

CHD patients with high level exclusion codes:

9h0% Patient excepted from CHD quality indicator

9h02. Excepted from CHD quality indicators: Informed dissent

9h01. Excepted from CHD quality indicators: Patient unsuitable

8I3Y Blood pressure procedure refused

With a record of cholesterol in the 15 months before next 31st March with one of the following:

44OE. Plasma total cholesterol level

44P.. Serum Cholesterol

44P1. Serum Cholesterol normal

44P2. Serum Cholesterol borderline

44P3. Serum Cholesterol raised

44P4. Serum Cholesterol very high

44PH. Total cholesterol measurement

44PJ Serum total cholesterol level

CHD patients with high level exclusion with cholesterol NOT measured in the 15m before next 31/03

CHD patients with high level exclusion codes:

With NO record of cholesterol in the 15 months before next 31st March

CHD patients with cholesterol NOT measured in the 15m before next 31/03

CHD patients with NO record of cholesterol (as above) in the 15 months before next 31st March

30. CHD patients with cholesterol measured in the 15m before next 31/03

CHD patients with a record of cholesterol (as above) in the 15 months before next 31st March

CHD patients whose last cholesterol ≥ 5 measured in the 15m before next 31/03

CHD patients with a latest record of cholesterol (as above) in the 15 months before next 31st March greater than or equal to 5 mmol/l

31. CHD patients whose last cholesterol < 5 measured in the 15m before next 31st March

CHD patients with a latest record of cholesterol (as above) in the 15 months before next 31st March less than 5 mmol/l

Patients excepted from QOF serum cholesterol targets (8BL1., 8I3C., 8I27., 8I63., 8I76.) in the 15m before next 31/03

CHD patients excepted from QOF serum cholesterol targets with a record in the 15 months before next 31st March:

8BL1. Patient on maximal tolerated lipid lowering therapy

8I3C. Statin declined

8I27. Statins contraindicated

8I63. Statin not indicated

8I76 Statin not tolerated

32. Patients excepted from QOF serum cholesterol targets and cholesterol checked in the 15m before next 31/03

CHD patients excepted from QOF serum cholesterol targets (see above)

And a cholesterol record in the 15 months before next 31st March

44OE. Plasma total cholesterol level

44P.. Serum Cholesterol

44P1. Serum Cholesterol normal

44P2. Serum Cholesterol borderline

44P3. Serum Cholesterol raised

44P4. Serum Cholesterol very high

44PH. Total cholesterol measurement

44PJ Serum total cholesterol level

Patients excepted from QOF serum cholesterol targets and cholesterol NOT checked in the 15m before next 31/03

CHD patients excepted from QOF serum cholesterol targets (see above)

And NO cholesterol record in the 15 months before next 31st March

Patients with CHD and high level exclusion and excepted from QOF serum cholesterol targets (8BL1., 8I3C., 8I27., 8I63., 8I76.) in the 15m before next 31/03

CHD patients with high level exclusion codes:

9h0% Patient excepted from CHD quality indicator

9h02. Excepted from CHD quality indicators: Informed dissent

9h01. Excepted from CHD quality indicators: Patient unsuitable

8I3Y Blood pressure procedure refused

Excepted from QOF serum cholesterol targets with a record in the 15 months before next 31st March:

8BL1. Patient on maximal tolerated lipid lowering therapy

8I3C. Statin declined

8I27. Statins contraindicated

8I63. Statin not indicated

8I76 Statin not tolerated

Patients with CHD and high level exclusion and excepted from QOF serum cholesterol targets (8BL1., 8I3C., 8I27., 8I63., 8I76.) and cholesterol checked in the 15m before next 31/03

CHD patients with high level exclusion codes:

9h0% Patient excepted from CHD quality indicator

9h02. Excepted from CHD quality indicators: Informed dissent

9h01. Excepted from CHD quality indicators: Patient unsuitable

8I3Y Blood pressure procedure refused

Excepted from QOF serum cholesterol targets with a record in the 15 months before next 31st March:

8BL1. Patient on maximal tolerated lipid lowering therapy

8I3C. Statin declined

8I27. Statins contraindicated

8I63. Statin not indicated

8I76 Statin not tolerated

And a cholesterol record in the 15 months before next 31st March

44OE. Plasma total cholesterol level

44P.. Serum Cholesterol

44P1. Serum Cholesterol normal

44P2. Serum Cholesterol borderline

- 44P3. Serum Cholesterol raised
- 44P4. Serum Cholesterol very high
- 44PH. Total cholesterol measurement
- 44PJ Serum total cholesterol level

Patients with CHD and high level exclusion and excepted from QOF serum cholesterol targets (8BL1., 8I3C., 8I27., 8I63., 8I76.) and cholesterol NOT checked in the 15m before next 31/03

CHD patients with high level exclusion codes:

Excepted from QOF serum cholesterol targets with a record in the 15 months before next 31st March:

And NO cholesterol record in the 15 months before next 31st March

Smoking

33. CHD patients with high level exclusion with smoking status recorded in the 15m before next 31/03 or last smoking record shows never smoked or ex-smoker

CHD patients with high level exclusion codes:

- 9h0% Patient excepted from CHD quality indicator
- 9h02. Excepted from CHD quality indicators: Informed dissent
- 9h01. Excepted from CHD quality indicators: Patient unsuitable
- 8I3Y Blood pressure procedure refused

With a record of smoking status in the 15 months before next 31st March with one of the following in any clinical area:

- 137. Tobacco consumption
 - 137.11 Smoker - amount smoked
 - 1371. Never smoked tobacco
 - 1372. Trivial smoker - <1 cig/day
 - 1373. Light smoker - 1-9 cigs/day
 - 1374. Moderate smoker - 10-19 cigs/day
 - 1375. Heavy smoker - 20-39 cigs/day
 - 1376. Very heavy smoker - 40+ cigs/day
 - 137C. Keeps trying to stop smoking
 - 137D. Admitted tobacco cons untrue?
 - 137F. Ex-smoker - amount unknown
 - 137G. Trying to give up smoking
 - 137H. Pipe smoker
 - 137J. Cigar smoker
 - 137K. Stopped smoking

- 137L. Current non-smoker
- 137M. Rolls own cigarettes
- 137N. Ex pipe smoker
- 137O. Ex cigar smoker
- 137P. Cigarette smoker
- 137Q. Smoking started
- 137R. Current smoker
- 137S. Ex smoker
- 137T. Date ceased smoking
- 137U. Not a passive smoker
- 137V. Smoking reduced
- 137X. Cigarette consumption
- 137Y. Cigar consumption
- 137Z. Tobacco consumption NOS
- 137a. Pipe tobacco consumption
- 137b. Ready to stop smoking
- 137c. Thinking about stopping smoking
- 137d. Not interested in stopping smoking
- 137e. Smoking restarted
- 137f. Reason for restarting smoking
- 137g. Cigarette pack-years
- 137h Minutes from waking to first tobacco consumption

Or a record in the Smoking SDA of smoker

Or last smoking record shows never smoked recorded ever:

- 1371. Never smoked tobacco

Or last smoking record shows ex-smoker:

- 1377 Ex-trivial smoker (<1/day)
- 1378 Ex-light smoker (1-9/day)
- 1379 Ex-moderate smoker (10-19/day)
- 137A Ex-heavy smoker (20-39/day)
- 137B Ex-heavy smoker (20-39/day)
- 137F. Ex-smoker - amount unknown
- 137K. Stopped smoking
- 137L. Current non-smoker
- 137N. Ex pipe smoker
- 137O. Ex cigar smoker
- 137S. Ex smoker
- 137T. Date ceased smoking
- 137U. Not a passive smoker

CHD patients with high level exclusion with smoking status NOT recorded in the 15m before next 31/03 or last smoking record shows never smoked or ex-smoker

CHD patients with high level exclusion codes

With NO record of smoking status in the 15 months before next 31st March with one of the codes above

Patients with CHD and high level exclusion and smoking status is never smoked

CHD patients with high level exclusion codes

With a smoking status of never smoked:

1371. Never smoked tobacco

Or a record in the Smoking SDA of non-smoker

34. CHD patients with smoking status recorded in the 15m before next 31/03 or last smoking record shows never smoked or ex-smoker

CHD patients with a record of smoking status in the 15 months before next 31st March with one of the above codes

CHD patients with smoking status NOT recorded in the 15m before next 31/03 and no record of never smoked ever or ex-smoker

CHD patients with NO record of smoking status (as above) in the 15 months before next 31st March

Or a latest record in the Smoking SDA of Never Smoked ever or ex-smoker,

Or the following code recorded ever:

1371. Never smoked tobacco

35. CHD patients whose smoking status is never smoked or ex-smoker

CHD patients with a last smoking record of never smoked

In either the Smoking SDA or the following code recorded ever:

1371. Never smoked tobacco

Or a last smoking record of ex-smoker in the Smoking SDA or the following ex-smoker code recorded:

1377 Ex-trivial smoker (<1/day)

1378 Ex-light smoker (1-9/day)

1379 Ex-moderate smoker (10-19/day)

137A Ex-heavy smoker (20-39/day)

137B Ex-heavy smoker (20-39/day)

137F. Ex-smoker - amount unknown

- 137K. Stopped smoking
- 137L. Current non-smoker
- 137N. Ex pipe smoker
- 137O. Ex cigar smoker
- 137S. Ex smoker
- 137T. Date ceased smoking
- 137U. Not a passive smoker